

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|--|------------------|---------|---------------------|
| S1 | 13 | chen near2 zhihui.inv. beadle near2 michael.inv. | US-PGPUB; USPAT; USCOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 15:32 |
| S2 | 378 | (MINDSPEED adj TECHNOLOGIES).as. | US-PGPUB; USPAT; USCOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 15:34 |
| S3 | 9 | S1 and S2 | US-PGPUB; USPAT; USCOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 15:35 |
| S4 | 8 | S1 and S2 and @ad<="20030827" | US-PGPUB; USPAT; USCOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 15:36 |
| S5 | 58389 | (FACSIMILE FAX FAX\$3) AND (NETWORK) AND @ad<="20030827" | US-PGPUB; USPAT; USCOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:07 |
| S6 | 6544 | (VOIP) AND (NETWORK) AND @ad<="20030827" | US-PGPUB; USPAT; USCOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:07 |
| S7 | 1590 | S5 and S6 | US-PGPUB; USPAT; USCOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:08 |
| S8 | 607 | S5 and S6 and voip same (fax fax\$4 facsimile) | US-PGPUB; USPAT; USCOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:09 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S9 | 87 | S5 and S6 and voip same (fax fax\$4 facsimile) same (gateways routers) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:09 |
| S10 | 189 | S5 and S6 and voip same (fax fax\$4 facsimile) same (gateway gateways router routers) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:10 |
| S11 | 8 | S5 and S6 and voip same (FOIP) same (gateways routers) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:34 |
| S12 | 25 | UDPTL and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 14:11 |
| S13 | 10 | UDPTL same (calcula\$5 determi\$5) same (size length header) and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 14:24 |
| S14 | 10 | UDPTL same (calcula\$5 determi\$5) same (size length) and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 14:24 |
| S15 | 1 | UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 14:28 |
| S16 | 1 | UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and "T.38" and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 14:29 |
| S20 | 1 | UDP same (calcula\$5 determi \$5) same (size length) and UDPTL and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 08:21 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S21 | 11 | UDP and (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 08:22 |
| S22 | 11 | UDP and (calcula\$5 determi\$5 analy\$5) same (size length) and UDPTL and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/12 08:26 |
| S23 | 1 | (calculat\$5 determin\$5) same (packet packets frame frames) same ("0" zero) same ("2" two) same (UDPTL) same (header field) same error with recove\$5 AND @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 08:13 |
| S24 | 55 | (calculat\$5 determin\$5) same (packet packets frame frames) same (length) same error with recove\$5 AND @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 09:05 |
| S25 | 1 | (calculat\$5 determin\$5) same UDPTL same (packet packets frame frames) same (length) AND @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 09:38 |
| S26 | 116 | determin\$4 same type\$1 same packet same size\$4 with header and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:17 |
| S27 | 44 | determin\$4 with type\$1 with packet\$1 same size\$4 with header and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:18 |
| S28 | 16 | determin\$4 with type\$1 with packet\$1 with size\$4 with header and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:18 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| S29 | 0 | determin\$4 with type\$1 with packet\$1 with size\$4 with encapsulat\$4 and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:35 |
| S30 | 0 | determin\$4 with packet\$1 with size\$4 with encapsulat\$4 and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:35 |
| S31 | 45 | determin\$4 with packet\$1 with size\$4 with payload and UDP and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:36 |
| S32 | 5 | determin\$4 with packet\$1 with size\$4 and payload with contain\$3 with UDP and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:36 |
| S33 | 5420 | Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:40 |
| S34 | 1302 | UDP and Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:40 |
| S35 | 818 | ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:41 |
| S36 | 28 | ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:41 |

| | | | | | | |
|-----|------|--|---|----|-----|---------------------|
| S37 | 6 | determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827" | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:47 |
| S38 | 43 | determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827" | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:50 |
| S39 | 0 | (classify classification) with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827" | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 12:55 |
| S40 | 25 | Packets same (compar\$4 with length\$4) with header and encapsulat\$4 and @ad<="20030827" | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 13:08 |
| S41 | 1848 | UDP with RTP and @ad<="20030827" | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 13:53 |
| S42 | 6 | UDP with RTP and VoIP and FoIP and @ad<="20030827" | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 13:53 |
| S43 | 4727 | radio with optical with network | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 16:10 |
| S44 | 37 | radio with optical with network and "at&t".as. | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/15 16:11 |

| | | | | | | |
|-----|-------|--|---|----|-----|---------------------|
| S45 | 14 | chen near2 zhihui.inv. beadle near2 michael.inv. | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S46 | 388 | (MINDSPEED adj TECHNOLOGIES).as. | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S47 | 10 | S45 and S46 | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S48 | 9 | S45 and S46 and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S49 | 58977 | (FACSIMILE FAX FAX\$3) AND (NETWORK) AND @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S50 | 6702 | (VOIP) AND (NETWORK) AND @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S51 | 1637 | S49 and S50 | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S52 | 625 | S49 and S50 and voip same (fax fax\$4 facsimile) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S53 | 90 | S49 and S50 and voip same (fax fax\$4 facsimile) same (gateways routers) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| S54 | 195 | S49 and S50 and voip same (fax fax\$4 facsimile) same (gateway gateways router routers) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S55 | 8 | S49 and S50 and voip same (FOIP) same (gateways routers) | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S56 | 25 | UDPTL and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S57 | 10 | UDPTL same (calcula\$5 determi\$5) same (size length header) and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S58 | 10 | UDPTL same (calcula\$5 determi\$5) same (size length) and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S59 | 1 | UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S60 | 1 | UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and "T.38" and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S61 | 1 | UDP same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S62 | 11 | UDP and (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S63 | 11 | UDP and (calculat\$5 determin\$5 analy\$5) same (size length) and UDPTL and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S64 | 1 | (calculat\$5 determin\$5) same (packet packets frame frames) same ("0" zero) same ("2" two) same (UDPTL) same (header field) same error with recove\$5 AND @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S65 | 55 | (calculat\$5 determin\$5) same (packet packets frame frames) same (length) same error with recove\$5 AND @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S66 | 1 | (calculat\$5 determin\$5) same UDPTL same (packet packets frame frames) same (length) AND @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S67 | 116 | determin\$4 same type\$1 same packet same size\$4 with header and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S68 | 44 | determin\$4 with type\$1 with packet\$1 same size\$4 with header and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S69 | 16 | determin\$4 with type\$1 with packet\$1 with size\$4 with header and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S70 | 0 | determin\$4 with type\$1 with packet\$1 with size\$4 with encapsulat\$4 and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |

| | | | | | | |
|-----|------|--|---|----|-----|---------------------|
| S71 | 0 | determin\$4 with packet\$1 with size\$4 with encapsulat\$4 and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S72 | 45 | determin\$4 with packet\$1 with size\$4 with payload and UDP and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S73 | 5 | determin\$4 with packet\$1 with size\$4 and payload with contain\$3 with UDP and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S74 | 5424 | Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S75 | 1304 | UDP and Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S76 | 819 | ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S77 | 28 | ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S78 | 6 | determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |

| | | | | | | |
|-----|------|--|---|----|-----|---------------------|
| S79 | 43 | determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S80 | 0 | ((classify classification) with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S81 | 25 | Packets same (compar\$4 with length\$4) with header and encapsulat\$4 and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S82 | 1852 | UDP with RTP and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S83 | 6 | UDP with RTP and VoIP and FoIP and @ad<="20030827" | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S84 | 4727 | radio with optical with network | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |
| S85 | 37 | radio with optical with network and "at&t".as. | US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/16 09:49 |

9/ 24/ 2008 3:35:57 PM

C:\Documents and Settings\lsweet\My Documents\EAST\Workspaces
 \10650655mthdandsys4detectingfaxcommunicationduringavoipsession.wsp